




3NE1 2...-0, 3NE1 2...-2




3NE1 33...-0, 3NE1 33...-2




3NE1 4...-2




3NE4 1..




3NE4 3 ...-0B, 3NE4 337




3NE3 ...-0C/-1C



3NE5 ...-0C/-1C



3NE7 ...-0C/-1C




Type	Dimensions				
	a	b	c	d	e
3NE3 ...-0C	11.5	161.5	--	--	--
3NE3 6 ...-1C	13	171.5	--	--	--
3NE5 4...-0C	241	209	161	171.5	11.5
3NE5 4...-1C	241	209	161	171.5	13
3NE5 6...-0C	201	169	121	131.5	11.5
3NE7...-0C	11.5	--	--	--	--
3NE7...-1C	13	--	--	--	--

BETA Protecting


SITOR Semiconductor Fuses

SITOR, LV HRC design

3NE9 6...-1C




3NE3 22., 3NE3 23., 3NE3 3..




Type	Dimensions					
	a	b	c	d	f	g
3NE3 22., 3NE3 23.	135	31	12.5	40.5	13.5	135
3NE3 3..	149	38	19.5	47.5	15	149

3NE3 635-6



3NC5 531



[illegible][illegible]

Technical drawing of the 12_11373 component, showing front and side views with dimensions.

Front View Dimensions:

- Overall width: 60
- Overall height: 82.5
- Top flange width: 55
- Top flange thickness: 10.5
- Central hole diameter: $\varnothing 20$
- Four corner holes: $\varnothing 4$

Side View Dimensions:

- Overall width: 77
- Overall height: 60
- Top flange thickness: 15
- Threaded section: M10
- Bottom flange thickness: 20

Part number: 12_11373

Technical drawing of the 'K' symbol showing front and side views with dimensions. The front view (left) shows a rectangular symbol with a width of 47 mm and a height of 53 mm. The side view (right) shows a cross-section with a total width of 66 mm and a total height of 62 mm. The symbol is composed of two main parts: a top part with a width of 62 mm and a height of 30 mm, and a bottom part with a width of 40 mm and a height of 10.4 mm. The bottom part has a central cutout with a width of 26 mm. The symbol is mounted on a base with a width of 57 mm and a height of 54 mm. The symbol is made of a material with a thickness of 12.11375 mm.

Type	Dimensions	
	a	b
3NE6 437, 3NE9 440-6	89	76
3NE6 444	99	86